

1/8


Figure 1

Concentration	Ab 0.25	Ab 6.00	BioDx A	BioDx B	BioDx C
Mean±SD	0.23±.02	5.7±.15	0.11±0.01	5.71±0.21	12.6±1.1
Coeff. Var.	10%	2.5%	6.6%	3.71%	8.8%

bioRxiv preprint doi: <https://doi.org/10.1101/000000>; this version posted January 1, 2015. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY-NC-ND 4.0 International license.

Figure 2

A



B




Figure 3





Figure 4

A



B




Figure 5

GROUP	SERUM ($\mu\text{U/ml}$) \rightarrow	ELEVATED	HIGH NORMAL	LOW NORMAL
	URINE ($\mu\text{U/ml}$) \downarrow	(≥ 4.5), N=19	(2.0 to 4.5), N=17	(≤ 2.0), N=63
A-1	ELEVATED (≥ 0.07)	17		
A-2	MARGINAL (0.06)	1		
A-3	LOW (≤ 0.03)	1		
B-1	ELEVATED (>0.07)		1	
B-2	MARGINAL (0.06-0.07)		6	
B-3	NORMAL (≤ 0.06)		10	
C-1	ELEVATED (≥ 0.07)			2
C-2	MARGINAL (0.06)			7
C-3	NORMAL (< 0.06)			54

Figure 6

Group	No of Assays	Standard 0.33	Standard 1.13	Standard 1.83	Standard 3.33
No Rx	21	.29±0.08	0.93±0.13	1.72±0.11	3.30±0.21
T4 Rx	26	0.30±0.08	1.00±0.11	1.70±0.1	3.25±0.20
Tapa Rx	18	0.22±0.07	0.92±0.11	1.80±0.61	3.35±1.12

Figure 8

